# SAFETY DATA SHEET



# **DIACETONE ALCOHOL**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking Trade name:

1.1 Product identifier:	
CAS Number:	123-42-2
EC number:	204-626-7
1.2 SYNONYMS:	<ul><li>4-Hydroxy-4-methyl-2-</li></ul>
	pentanone

# **SECTION 2: Hazards identification:**

2.1 Classification of the substance or mixture:	Classification according to Regulation (EC) No 1272/2008 The substance is classified according to the CLP regulation.
2.2 Label elements:	Labelling according to Regulation (EC) No 1272/2008 Flammable liquids, (Category 3) Eye irritation, (Category 2) Reproductive toxicity, (Category 2) Specific target organ toxicity - single exposure, (Category 3), Respiratory system
Hazard Pictograms:	
Signal Word:	Warning
Hazard statements:  YOUR CHEM	H226: Flammable liquid and vapor. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.



Drosputionary Statements:	D202. Do not bandle until all cofety
Precautionary Statements:	<b>P202:</b> Do not handle until all safety precautions have been read and
	understood.
	<b>P210:</b> Keep away from heat, hot
	surfaces, sparks, open flames and
	other ignition sources. No smoking.
ECTI	<b>P233:</b> Keep container tightly closed.
	<b>P240:</b> Ground and bond container
	and receiving equipment.
	<b>P305 + P351 + P338:</b> IF IN EYES:
	Rinse cautiously with water for
	several minutes.
	Remove contact lenses, if present
	and easy to do. Continue
	rinsing.
	<b>P308 + P313:</b> IF exposed or
	concerned: Get medical advice/
	attention.
	<b>P405:</b> Store locked up.
	<b>P501:</b> Dispose of contents/ container
27 24h ay h a-ayda	to an approved waste disposal plant.
2.3 Other hazards:	
Inhalation:	may cause respiratory tract
	irritation, dizziness, headache, nausea, and, at high concentrations,
	central nervous system depression.
Ingestion:	may cause gastrointestinal irritation,
ingestion.	nausea, vomiting, abdominal pain,
	and central nervous system effects
	such as dizziness or drowsiness.
Skin Contact:	may cause irritation, dryness, and
	redness, especially with prolonged
VOUD OUT M	or repeated exposure.
Eye contact:	may cause irritation, redness,
	tearing, and a burning sensation.
Chronic Exposure:	may lead to dermatitis from
	repeated skin contact and potential
	effects on the liver, kidneys, or
	central nervous system with
	prolonged inhalation.



Aggravation of pre-existing	may aggravate pre-existing
conditions:	conditions involving the skin, eyes,
	respiratory system, liver, or central
	nervous system.

# **SECTION 3: Composition/information on ingredients**

3.1 Chemical characterisation:	Substances
CAS No:	Description: 123-42-2
	DIACETONE ALCOHOL
Identification number(s):	EC number: 204-626-7

# **SECTION 4: First aid measures**

41 Description of first aid measures	
General information:	
After inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
After skin contact:	Remove contaminated clothing immediately .Wash with plenty of water. Consult a physician.
After eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. consult a physician.
After swallowing:  YOUR CHEMI	Rinse mouth with water. Immediately after ingestion. If conscious, make victim drink two glasses at most immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting. Consult a physician.
4.2 Most important symptoms and effects, both acute and delayed:	The most important symptoms and effects of diacetone alcohol exposure, both acute and delayed,



	include respiratory and eye irritation, dizziness, headache, nausea, drowsiness, and, with prolonged exposure, potential liver
	and kidney damage or central nervous system depression.
4.3 Indication of any immediate medical attention and special treatment needed:	Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media:	Carbon dioxide. Alcohol-resistant
	foam.
5.2 Special hazards arising from	Carbon oxides.
the substance or mixture:	
5.3 Advice for firefighters:	Wear fully protective suit, safety
	glasses and respiratory device. Cool
	tanks/drums with water
	spray/remove them into safety.
5.4 further information:	no data available

# **SECTION 6: Accidental release measures**

6.1 Personal precautions,	Use personal protective
protective equipment and	equipment.
emergency procedures:	Avoid breathing vapors, mist or
	gas. Ensure adequate ventilation.
	Remove all sources of ignition.
	Evacuate personnel to safe areas.
V/ O II D O II E I I I	Beware of vapours accumulating
AUTIB GHEMI	to form explosive concentrations.
I U U II U II L IVI I	Avoid dust accumulation. Seek
	medical attention.
6.2 Environmental precautions:	Do not enter this chemical into
	drains.
6.3 Methods and material for	Take up spill into absorbent
containment and cleaning up:	material, e.g.: sand, earth,
	vermiculite, powdered limestone.



Scoop absorbed substance into
closing containers. Spill must not
return in its original container.
Clean contaminated surfaces with
an excess of water. Wash clothing
and equipment after handling.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling:	For use in are with adequate
7.1. 1. Coadtions for safe manding.	ventilation.
	Empty containers pose a fire risk,
	evaporate the residue under a
	fume hood. Ground all equipment
	containing material
	Do not use in confined spaces.
	Electrostatic discharge protection.
	Minimize dust generation and
	accumulation. Avoid ingestion and
	inhalation.
7.2 Conditions for safe storage,	Store in original containers.
including any incompatibilities:	Keep containers securely sealed
	Store in a cool, dry, well-ventilated
	area. Store away from incompatible
	materials and foodstuff containers.
	Protect containers against physical
	damage and check regularly for
	leaks. Store in a dry and dark area.
Requirements to be met by	Keep container tightly closed in a
storerooms and receptacles:	dry and well-ventilated place.
	Containers which are opened must
VOUD OUT MAI	be carefully resealed and kept
ATTIK I: H F MI	upright to prevent leakage.
7.3 Specific end uses:	no data available



# **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters	
Additional information about	A system of local and general
design of technical facilities:	exhaust is recommended.
8.2 Exposure controls	
Appropriate engineering controls	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Personal protective equipment:	Dust respirator, protective masks, wearing anti chemical gloves, rubber gloves, etc.
General protective and hygienic measures:	Eyes, body and hand protection, maintain indoor air unobstructed. Wear protective equipment.  Respiratory protection: Required.
Protection of hands:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws. Wash and dry hands.
	Eye protection: Required
Protection of Body:	Complete suit protecting against chemicals, Flame retardant antistatic protective clothing.

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information	OAL I AIIIII
Appearance: Form:	liquid
Colour:	Colorless
Odour:	Mild, sweet odor
pH-value:	7



Melting point/Melting range:	-47°C
Boiling point/Boiling range:	167°C
Flammability (solid, gaseous):	Flammable liquid
Ignition temperature:	443°C
Decomposition temperature:	Not determined
Self-igniting:	None
Flash point:	58°C
Danger of explosion:	None
Explosion limits: Lower:	1.8
Explosion limits: Upper:	7.6
Vapour pressure:	0.36 kPa at 20°C
Density at 20 °C:	0.938 g/cm <sup>3</sup>
Relative density:	0.938
Vapour density:	4.1
Evaporation rate:	Not determined
Solubility in / Miscibility with-	Slightly Soluble
·water at 20 °C:	
Partition coefficient:(n-	0.58
octanol/water)	
Viscosity:	4.6 mPa·s at 25 °C

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	No data available
10.2 Chemical stability	This chemical is stable under
	storage conditions.
10.3 Possibility of hazardous	May undergo self-condensation or
reactions	react with strong acids or bases.
	Vapors may form explosive
	mixtures with air.
	Risk of hazardous polymerization is
VOUD CHEMI	not expected under normal
TUUN GREWI	handling.
10.4 Conditions to avoid	Excessive heat and open flames
	Prolonged exposure to air and
	sunlight
10.5 Incompatible materials	Strong oxidizing agents, strong
	acids and bases, reducing
	agents., halogens.



10.6 Hazardous decomposition	Carbon monoxide, carbon dioxide.
products	

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects	.1976
Acute Toxicity:	LD50 (Oral, Rat): 3.002 mg/kg LD50 (Dermal, Rabbit): 13.630 mg/kg LC50 (Inhalation Rat): no data available
Skin corrosion/Irritation:	No data available
Serious eye damage/irritation:	Causes serious eye damage
Respiratory damage/irritation:	No data available
Ingestion:	No data available
Germ cell mutagenicity:	No data available
Carcinogenicity:	No data available
Reproductive toxicity:	No data available
Specific target organ toxicity - single exposure:	May cause respiratory irritation
Specific target organ toxicity - repeated exposure:	No data available
Aspiration hazard:	No data available
Signs and Symptoms of Exposure:	Refer section 2.3
11.2 Additional toxicological information	
Biodegradability:	Readily biodegradable

# **SECTION 12: Ecological information**

12.1 Toxicity Aquatic toxicity:	LC50(fish): 100 mg/l (96hr) EC50(daphnia): 1.000 mg/l (48 hr) ErC50(alge): 1.000 mg/l (72 hr)
12.2 Persistence and degradability:	Readily Biodegradable
12.3 Bioaccumulative potential:	Low bioaccumulative
12.4 Mobility in soil:	Moderate mobility
12.5 Other adverse effects:	No data available



## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Uncleaned packaging	dispose of in accordance with local
Recommendation:	hazardous waste regulations
Recommended cleansing agents:	Water and detergent, detergent
	solution, isopropanol, sand.

# **SECTION 14: Transport information**

14.1 UN-Number · ADR, ADN, IMDG, IATA:	1148
14.2 UN proper shipping name · ADR, ADN, IMDG, IATA:	DIACETONE ALCOHOL
14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA :	3
14.4 Packing group · ADR, IMDG, IATA:	3
14.5 Environmental hazards:	None
14.6 Special precautions for user:	Handle responsibly.

# **SECTION 15: Regulatory information**

15.1 Safety, health and	Directive 2012/18/EU, under that
environmental	this substance is classified in listed
regulations/legislation specific	substances as flammable liquid
for the substance or mixture	substances
Directive 2012/18/EU	
Named dangerous substances:	This substance is not listed in the
	annex 1 to the directive.
15.2 Chemical safety assessment:	Chemical assessment has not been
	carried out.

### **SECTION 16: Other information**

The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and limitations of our knowledge, this document is only for reference. Users should make their



independent judgment suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

# TESTD.1976 WILLIAM CHESTD.1976 MILLIAN CHESTD.1976 MILLIAN CHESTD.1976 MILLIAN MILLIAN CHESTD.1976 MILLIAN MI

YOUR CHEMICAL PARTNER